

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		



1
↙




FIG. 1
(PRIOR ART)




FIG. 2

41




FIG. 3

COLOR DATA FILE 400

CAMERA MEASUREMENT
 ORIGINATOR "Company X"
 DESCRIPTOR "MyShot Camera"
 CREATED "03/31/00"

401
 HEADER
 PORTION

NUMBER_OF_FIELDS 7
 NUMBER_OF_SETS 27

WHITE_POINT_X 95.197, WHITE_POINT_Y 100.158, WHITE_POINT_Z 95.197
 SURROUND_AVERAGE, AMBIENT_X 95.197, AMBIENT_Y 100.158, AMBIENT_Z 109.051
 BACKGROUND_X 19.039, BACKGROUND_Y 20.032, BACKGROUND_Z 19.039
 LUMINANCE_OF_ADAPTING_FIELD 18.000

431

410

FORMAT
 PORTION

BEGIN_DATA_FORMAT
 SAMPLE_ID RGB_R RGB_G RGB_B XYZ_X XYZ_Y XYZ_Z
 END_DATA_FORMAT

420

DATA
 PORTION

BEGIN_DATA

.
 .
 .
 A01 127 255 127 24.213 35.692 22.919
 .
 .
 .
 END_DATA

FIG. 4

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

COLOR IMAGE FILE 500




FIG. 5





FIG. 6






FIG. 8




FIG. 9